

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-78. (Canceled)

79. (Currently amended) Glass comprising:

a base glass portion comprising:

Ingredient	wt. %
SiO ₂	67 – 75 %
Na ₂ O	10 – 20 %
CaO	5 – 15 %

a colorant portion comprising:

total iron (expressed as Fe ₂ O ₃)	0.01 <u>0.054</u> to 0.30 %
erbium oxide	0.01 to 0.30 %
cerium oxide	0 to 0.30 %

wherein the glass has visible transmission of at least 80%, a transmissive a* color value of -1.0 to +1.0, and a transmissive b* color value of -1.0 to +1.5.

80. (Previously presented) The glass of claim 79, wherein the glass has a redox value (FeO/Fe₂O₃) of less than or equal to 0.20.

81. (Previously presented) The glass of claim 79, wherein the glass has a redox value (FeO/Fe₂O₃) of less than or equal to 0.15.

82. (Previously presented) The glass of claim 79, wherein the glass has a redox value ($\text{FeO}/\text{Fe}_2\text{O}_3$) of less than or equal to 0.13.

83. (Previously presented) The glass of claim 79, wherein the glass comprises from 0.02 to 0.20% erbium oxide.

84. (Previously presented) The glass of claim 83, wherein the glass comprises from 0.03 to 0.13% erbium oxide.

85. (Previously presented) The glass of claim 79, wherein the glass has a visible transmission of at least 85%.

86. (Previously presented) The glass of claim 79, wherein the glass has a visible transmission of at least 90%.

87. (Previously presented) The glass of claim 79, wherein the glass comprises less than or equal to 0.020% FeO.

88. (Previously presented) The glass of claim 79, wherein the glass comprises less than or equal to 0.011% FeO.

89-90. (Canceled)

91. (Previously presented) The glass of claim 79, wherein the glass comprises from 0.01 to 0.18% cerium oxide.

92. (Previously presented) The glass of claim 79, wherein the glass comprises from about 10-15% Na_2O and from about 6-12% CaO .